



CHARAKOKTA RUTU-TRIVRIT ; AN UNIQUE CONCEPT.

Bindiya¹, Mamatha V Rao², M S Veena³

¹MD Scholar, Department of PG studies in Dravyaguna, Government Ayurveda Medical College, Bengaluru.

²Professor, Department of PG studies in Dravyaguna, Government Ayurveda Medical College, Bengaluru.

³HOD and Professor, Department of PG studies in Dravyaguna, Government Ayurveda Medical College, Bengaluru.

Corresponding Author: Bindiya.sm2512@gmail.com

<https://doi.org/10.46607/iamj1312092024>

(Published Online: September 2024)

Open Access

© International Ayurvedic Medical Journal, India 2024

Article Received: 08/07/2024 - Peer Reviewed: 29/07/2024 - Accepted for Publication: 14/08/2024.



ABSTRACT

Trivrit (Operculina terpethum) that has been widely used for its excellent therapeutic effect, since vedic period till date. According to acharya *charaka*, *trivrit* is an *agrya dravya* for *sukha virechana*. In classics, administration of drugs has been given prime importance in accordance with *bala*, *agni*, *rutu*, *anupana* etc. In this regards, Acharya charaka has explained very unique concept in *kalpa sthana*, known as *Rutu Trivrit*.

Keywords: *Trivrit, Operculina terpethum, Rutu , Rutu Trivrit*

INTRODUCTION

Virechana is the process of expelling doshas through the *Adhobhaga* ,as described by *Acharya Charaka*. It is particularly beneficial for disorders caused by *Pitta*, especially when *Pitta* is associated with either *Vata* or *Kapha*. *Acharya Charaka* categorized *virechana* into 3 levels of Intensity : *Mridu, Madyama, Tikshna*. Similarly, *Virechana Dravya* can be

classified based on their mode of action as *Anuloma-na, Sramsana, Bhedana* and *Rechana*. Among many Ayurvedic herbs that are useful for easy purgation *Trivrit (Operculina turpethum Linn)* is considered as *sukhavirechaka*^[1]. *Rutu Trivrit*^[2] is a unique concept explained in *kalpasthana* of *charaka Samhita* where specific combination of drugs is given in specific *rutu*

and yields better result as it is in accordance with *anupana*, *bhavana* and *samskara* etc in order to expel the vitiated doshas completely and to attain *dhatusamy*.

Morphology:

Operculina turpethum belonging to Convolvulaceae family is a perennial twiner with milky juice. Root is long, slender, fleshy, branched and root bark is easily removable. Stem is twisted three angled hence it is known as *Trivrit*. Simple leaves with ovate or oblong shape. Flowers are funnel shaped and white in colour. It can be easily cultivated with seeds or layering. Harvesting of roots recommended after 18 months of plantation^[3].



Synonyms :

Table 1 – Synonyms of *Aruna trivrut in Nighantus*

S.No	Synonyms	B.N	D.N	MP.N	K.N	R.N
1	<i>Bhandi</i>	+	-	-	-	-
2	<i>Tribandi</i>	-	+	+	+	-
3	<i>Triputa</i>	+	+	+	+	+
4	<i>Sarvanubhuthi</i>	+	+	+	+	-
5	<i>Sarala</i>	+	+	+	-	-
6	<i>Tryasra</i>	-	+	+	+	-
7	<i>Kakakshi</i>	-	+	-	-	-
8	<i>Kumudagandini</i>	-	+	-	-	-
9	<i>Kalindi</i>	-	-	-	-	+
10	<i>Kumbha</i>	-	-	+	+	-

B.N – Bhavaprakasha Nighantu

D.N – Dhanvantari Nighantu

MP.N – Madanaphala Nighantu

K.N – Kaiyadeva Nighantu

R.N – Raja Nighantu

Table 2 - Synonyms of *Shyama Trivrit in Nighantus*

S.No	Synonyms	B.P	D.N	MP.N	K.N	R.N
1	<i>Ardachandra</i>	+	+	+	-	+
2	<i>Palindi</i>	+	-	-	+	-
3	<i>Sushennika</i>	+	+	-	+	+

4	<i>Masuravidala</i>	+	+	+	+	+
5	<i>Kalameshika</i>	+	+	+	+	+
6	<i>Malavika</i>	-	+	+	-	+
7	<i>Tamrapushpa</i>	-	-	-	+	-
8	<i>Koshaphala</i>	-	-	-	+	-

Table 3 - *Gana vargeekarana* of *Trivrit* in Various Texts

S.No.	Samhita /nighantu	Varga/Gana
1	<i>Charaka Samhitha</i> ^[4]	<i>Bhedaneeya</i> <i>Vishaghna</i> <i>Asthapanopaga gana</i>
2	<i>Sushruta Samhitha</i> ^[5]	<i>Shyamadi gana</i> <i>Adhobhagahara gana</i> <i>Tikta varga</i>
3	<i>Ashtanga Hridaya</i> ^[6]	<i>Virechana gana</i> <i>Niruha gana</i> <i>Shyamadi gana</i>
4	<i>Bhavaprakasha Nighantu</i> ^[7]	<i>Guduchyadi varga</i>
5	<i>Dhanvantari Nighantu</i> ^[8]	<i>Guduchyadi Varga</i>
6	<i>Madanapala Nighantu</i> ^[9]	<i>Abhayadi varga</i>
7	<i>Kaiyadeva Nighantu</i> ^[10]	<i>Oshadhi varga</i>
8	<i>Raja Nighantu</i> ^[11]	<i>Pippalyadi varga</i>
9	<i>Aadarsha Nighantu</i> ^[12]	<i>Vriddadarvadi Varga</i>
10	<i>Priya Nighantu</i> ^[13]	<i>Pippalyadi varga</i>

Table 4 - *Rasapanchaka* of *Trivrit* according to different *Nighantus*

S.No.	Properties	B.P	D.N	MPN	K.N	R.N
1	<i>Rasa</i>	<i>Madhura</i>	<i>Shweta – Madhura</i> <i>Shyama - Katu</i>	<i>Tikta</i>	<i>Katu</i> <i>Tikta</i> <i>Madhra</i> <i>Kashaya</i>	<i>Tikta</i> <i>Katu</i>
2	<i>Guna</i>	<i>Ruksha</i>	<i>Ruksha</i>	<i>Ruksha</i>	<i>Ruksha</i>	<i>Ruksha</i>
3	<i>Veerya</i>	<i>Ushna</i>	<i>Ushna</i>	<i>Ushna</i>	<i>Ushna</i>	<i>Ushna</i>
4	<i>Vipaka</i>	<i>Katu</i>	<i>Katu</i>	<i>Katu</i>	<i>Katu</i>	<i>Katu</i>
5	<i>Prabhava</i>	<i>Virechana</i>	<i>Virechana</i>	<i>Virechana</i>	<i>Virechana</i>	<i>Virechana</i>

RUTU –TRIVRIT:

Trivrit as *sukhavirechaka* is widely used in various treatment procedures. To maximize the benefits of *Trivrit*, it should be administered with various rutus, adjuvants to enhance its effectiveness based on the *rutus*.

Table 5 – *Rutu-Trivrit*

Rutu	Drugs	Botanical name	Anupana/ Bhavana	Uses
Varsha	<i>Trivrit</i>	<i>Operculina turpethum Linn</i>	<i>Draksha rasa</i>	Virechana
	<i>Indrayava</i>	<i>Holarrhena antidysenterica</i>		
	<i>Pippali</i>	<i>Piper longum Linn</i>		
	<i>Vishwabhesha</i>	<i>Zingiber officinale Linn</i>		

	Kshoudra	Honey		
Sharat	Trivrit	<i>Operculina turpethum Linn</i>	Drakshambu	Virechana
	Duralabha	<i>Fagonia cretica Linn.</i>		
	Musta	<i>Cyperus rotundus Linn.</i>		
	Sharkara	Sugar		
	Udeechya	<i>Pavonia odorata Willd.</i>		
	Chandana	<i>Santalum album Linn.</i>		
	Drakshambu	<i>Vitis vinifera Linn</i>		
	Satala	<i>Hibiscus rosa-sinensis Linn.</i>		
	Yastyahwa	<i>Glycyrrhiza glabra Linn</i>		
Hemanta	Trivrit	<i>Operculina turpethum Linn</i>	water	Due to <i>prabala sheetavata</i> in this season, <i>virechana</i> is contraindicated. Yet it can be given in necessary condition
	Chitraka	<i>Plumbago zeylanica Linn</i>		
	Pata	<i>Cyclea peltate Hook</i>		
	Ajaji	<i>Cuminum cyminum Linn</i>		
	Sarala	<i>Pinus roxburghii</i>		
	Vacha	<i>Acorus calamus Linn</i>		
Greeshma	Swarnaksheeri	<i>Argemone mexicana</i>		
	Trivrit	<i>Operculina turpethum Linn</i>	Equal amount of sharkara	<i>Virechana</i>
Sarvarutu Yoga 1	Trivrit	<i>Operculina turpethum Linn</i>	<i>Churna bhavana in Gomutra</i>	Causes <i>virechana</i> and <i>Maladoshahara</i> in the patients who has undergone <i>snehana</i> procedure
	Hapusha	<i>Juniperus communis Linn</i>		
	Satala	<i>Hibiscus rosa sinensis Linn</i>		
	Katurohini	<i>Picrorrhiza kurroa Benth</i>		
	Swarnaksheera	<i>Argemone mexicana Linn</i>		
Sarvarutu yoga 2	Trivrit	<i>Operculina turpethum Linn</i>	Churna mixed with <i>Sarpi, Mamsarasa, and Ushnambu</i>	Causes <i>virechana</i> in the patient who has not even undergone <i>shehana</i> procedure
	Duralabha	<i>Fagonia cretica Linn.</i>		
	Vatsaka	<i>Holarrhena antidysenterica</i>		
	Hastipippali	<i>Piper chaba Linn</i>		
	Neelini	<i>Indigofera tinctoria</i>		
	Triphala	<i>Emblica officinalis Gaertn</i> <i>Terminalia chebula Retz</i> <i>Terminalia bellerica Gaertn</i>		
	Musta	<i>Cyperus rotundus</i>		
	Katuka	<i>Zingiber officinale Linn</i>		
Sarvarutu Yoga 3	Tryushana	1 karsha	<i>Churna + equal amount of sharkara</i>	<i>Virechana</i>
	Triphala	1 karsha		
	Hingu	1 karsha		
	Trivrit	1 pala	Given with <i>amla Dravya</i>	
	Souvarchala	½ karsha		
	Amlavetasa	½ pala		

			<i>Haritaki</i>	<i>All rasa except lavana</i>	<i>Sheeta, Ruksha</i>	<i>Tridosaghna</i>
			<i>Vibhitaki</i>	<i>Kashaya</i>	<i>Ruksha, Laghu</i>	<i>Kaphapittahara</i>
			<i>Hingu</i>	<i>Katu, Tikta</i>	<i>Teekshna, Ushna</i>	<i>Vatakaphahara</i>
			<i>Souvarchala</i>	<i>Lavana</i>	<i>Ruksha, Sara</i>	<i>Kaphapittahara</i>
			<i>Amlavetasa</i>	<i>Amla</i>	<i>Laghu</i>	<i>Kaphavatahara</i>

DISCUSSION

Effect of Trivrit in Varsha - *Varsha rutu* has predominance of *Vata dosha*. Most of the drugs mentioned have *katu rasa*, *ushna* & *ruksha guna* and are *kaphavatahara* in nature. Hence, they said *trivrit* in eliminating accumulated doshas from the body.

Effect of Trivrit in Sharat – As it is *Pitta* predominant season , drugs mentioned here are having *Tikta* and *Madhura rasa* , *Ruksha, Laghu* and *sheeta guna* and *kaphapittahara* property.

Effect of Trivrit in Hemanta – *Virechana* is not recommended due to strong wind and cold nature of the season but can be given in certain disease condition. Drugs indicated here have *Katu* , *Tikta rasa*, *Teekshna* & *ushna guna* and are *kaphavatahara*.

Effect of Trivrit in Greeshma – In *Greeshma rutu*, *bala* of person will be very low. Hence *Trivrit* is used with equal quality of *sharkara*, which has *Madhura rasa*, *laghu* , *sheeta guna* and is *sadyobalakara*. So *virechana* induced in this *rutu* will not cause any *vyapath*.

Effect of Trivrit in Sarvarutu – Combination of drugs mentioned here are *vatakaphahara*, *kaphapittahara*, *tridoshahara* in nature. Therefore, used in all *rutus*.

Rutu trivrit or *Trivrit* in these combinations can be effectively used in *swasta* and *atura*.

CONCLUSION

It can be concluded from the aforementioned references that *Trivrit* is a *sukhavirechaka*, that has been used from the Vedic era till date. *Virechana* ultimately promotes overall health and wellbeing by facilitating the elimination of excess *pitta dosha* and accumulated toxins from the body. *Trivrit* is the preferred drug in this context as per *Rutus*.

REFERENCES

1. Agnivesha, Charakasamhita, sutrasthana, 25th chapter, shloka 40, edited by Vaidya Yadavji trikamji, Chowkhamba Sanskrit Sansthan, Varanasi, Page no – 232.
2. Agnivesha, Charakasamhita, kalpasthana, 7th chapter, verse 56 - 64, edited by Vaidya Yadavji trikamji, Chowkhamba Sanskrit Sansthan, Varanasi, Page no – 764.
3. U. Gayathri Sameera, A. Vijaya Lakshmi, G. Swarupa Rani, P. Suguna Jyothi. Review of Trivrit (Operculina turpethum Linn.) in Ayurvedic literature. J Ayurveda Integr Med Sci [Internet]. 2023Oct.10 [cited 2024Aug.7];8(8):61 -68. Available from: <https://jaims.in/jaims/article/view/2688>
4. Agnivesha, Charakasamhita, sutrasthana, 4th chapter, edited by Vaidya Yadavji trikamji, Chowkhamba Sanskrit Sansthan, Varanasi, Page no – 61
5. P.V sharma, Sushruta- Samhita, sutrasthana, 38th chapter, chaukhambha visvabharati, Varanasi, Page no – 356
6. Vagbhata, Astanga Hridaya, Shloka 2, collated by Late Dr. Anna Moreshwara Kunte and Krsna Ramachandra Sastri Navare Edited by Bhishagacharya Harishastri Paradakara Vaidya, Chaukhambha Orientalia,Varanasi, Page no -230
7. Dr. Krishnachandra chunekar , Dr. Gangasahay pandeya, , Bhavaprakasha Nighantu,Guduchyadi varga, shloka 196,Chaukhambha Bharati academy,Varanasi, Page no – 365
8. Prof.Priya Vrat Sharma , Dr. Guruprasad sharma ,Dhanvantari Nighantu, Guduchyadi varga ,Shloka 236, Chaukhambha Orientalia, Varanasi ,Page no- 59.
9. Gangavishnu shreekrishnadas,Madanapala Nighantu, abhayadi varga, shloka 17 , Lakshmivenkateshwara awami press , Page no – 24
10. Acharya Priyavrat sharma, Dr Guruprasad Sharma,Kaiyadeva Nighantu , Oshadhi varga , Shloka 1015- 1019 ,Chaukhambha Orientalia , Varanasi, Page no –155

11. Pandit Narahari ,Edited by Dr. Indradeo Tripathi, Raja Nighantu, Pippalyadi varga, Shloka166,Krishnadas academy ,Varanasi, Page no – 169
12. Bapalal G Vaidya, Nighantu Adarsha, Vriddadarvadi varga ,Chaukhamba Bharati Academy , Varanasi, Page No -103
13. Prof Priyavrat Sharma, Priya Nighantu, Pippalyadi varga , Shloka 37, Chaukhamba Surabharathi Publications , Varanasi, Page no - 64

Source of Support: Nil

Conflict of Interest: None Declared

How to cite this URL: Bindiya et al: Charakokta Rutu-Trivrit; A unique concept. International Ayurvedic Medical Journal {online} 2024 {cited September 2024} Available from: http://www.iamj.in/posts/images/upload/1693_1699.pdf